



FORMULA  
STUDENT EAST



FORMULA STUDENT  
PORTUGAL



# Hydrogen System Form (H2SF) for hydrogen vehicles according to the Hydrogen Rules 2026

Version 1.1; updated according to Hydrogen Rules 2026 Version 1.1

## Cover Sheet

The Cover Sheet must contain the following:

- Heading “Hydrogen System Form 2026”
- University Name and Team Name
- Contact details of an Hydrogen Safety Officer or team leader which is responsible for this document

Feel free to add your team logo and car picture to the cover page

1. **Requirements (delete this section before uploading the document):**
2. Complete all sections and tables of the H2SF. If a section is not applicable to your design, please write 'not applicable'. Please do not delete any sections
3. Remove instructions (orange) from the document as you complete the sections.
4. Provide hyperlinks to all datasheets.
5. If you are unsure concerning the reviewer's feedback, do not hesitate to ask questions at: [hydrogen@fs-world.org](mailto:hydrogen@fs-world.org)
6. Parts of the H2SF that are changed because of reviewer's feedback **must be marked in red**.
7. Following these guidelines will guarantee a swift review process.

## Table of Contents

<b>1 System Overview.....</b>	<b>4</b>
1.1 Short description.....	4
1.2 Renderings from the whole car.....	4
1.3 Renderings from the drivetrain and hydrogen related parts.....	4
1.4 Block diagram.....	4
<b>2 Fuel.....</b>	<b>4</b>
<b>3 Hydrogen tank.....</b>	<b>5</b>
3.1 Description and safety.....	5
3.2 General informations.....	5
3.3 Hydrogen tank links.....	5
3.4 Gripping devices for hydrogen tanks.....	5
3.5 Refueling hydrogen tank.....	5
<b>4 On Tank Device (OTD).....</b>	<b>6</b>
4.1 General informations.....	6
4.2 On Tank Valve (OTV).....	6
4.3 Thermal activated pressure relief device (TPRD).....	6
<b>5 Pressure gauge and pressure regulator.....</b>	<b>6</b>
5.1 General informations.....	6
5.2 Picture and Datasheet.....	7
5.3 Mounting of the pressure regulator.....	7
<b>6 Connectors, fittings and lines.....</b>	<b>7</b>
6.1 Quick Connector.....	7
6.2 Refueling connector.....	7
6.3 Vent tower connection.....	7
6.4 Connectors and fittings.....	7
6.5 Lines.....	7
<b>7 Structural.....</b>	<b>8</b>
7.1 Attachment Hydrogen Tank to the Chassis.....	8
7.2 Lowest Point of any Part of the Hydrogen System.....	8
7.3 Shielding and Firewall of Hydrogen Tank.....	8
7.4 Hydrogen Tank Surrounding Structure.....	8
7.5 H2CV only: Engine mounting.....	8
7.6 FCEV only: Fuel cell mounting.....	8
7.7 FCEV only: Fuel Cell System Container Attachments.....	9
7.8 FCEV only: Positioning of Hydrogen System Parts.....	9
<b>8 Firewall and heat management.....</b>	<b>9</b>
8.1 Firewall specifications.....	9

8.2 Firewall pictures.....	9
8.3 Heat insulation.....	9
<b>9 H2CV / H2HY only.....</b>	<b>10</b>
9.1 General informations about engine.....	10
9.2 General information about injection system.....	10
9.3 Modification of the engine.....	10
9.4 Parts of the injection system.....	10
9.4 Crankcase ventilation system.....	10
9.5 Air intake system.....	11
9.6 Forced air induction system (if applicable).....	11
<b>10 FCEV only.....</b>	<b>12</b>
10.1 General requirements.....	12
10.2 Discharge Circuit.....	12
10.3 General informations about fuel cell.....	12
10.4 Fuel cell links.....	12
10.5 Fuel Cell System Container – Electrical Configuration.....	12
10.6 Power distribution.....	13
10.7 Fuel Cell Control Unit (FCCU).....	13
<b>11 Shutdown Circuit and other safety devices.....</b>	<b>13</b>
11.1 Shutdown Circuit Schematic H2CV / H2HY.....	13
11.2 Shutdown Circuit Schematic FCEV.....	13
11.3 H2 Safety Measurement Device (H2SMD).....	13
<b>12 Important items that are not part of the car.....</b>	<b>14</b>
12.1 Measuring tooling for hydrogen leak detection.....	14
12.2 Leak detection spray.....	14
12.3 Signs.....	14
12.4 Hand cart.....	14

## 1 System Overview

### 1.1 Short description

Include a brief description of the vehicle (1 paragraph).

### 1.2 Renderings from the whole car

Include renderings from all both side views, top view, front view and back view which shows the whole car. It is allowed to make parts of the bodywork transparent to make other parts better visible.

### 1.3 Renderings from the drivetrain and hydrogen related parts

Include renderings from the drivetrain and all hydrogen related parts, so that the officials can see how your system looks like.

### 1.4 Block diagram

Insert a large (full page) system overview block diagram showing the major hydrogen components (hydrogen tank, OTV, valves, mandatory sensors, refueling and defuelling ports, pressure regulator,...). Keep it simple with the most important parts that the reviewer gets an idea how your system is working. Please use exactly one page for that.

## 2 Fuel

Complete the information in the table below.

Which kind/grade of hydrogen do you need?	ISO 14687: 2025
How much hydrogen do you need for one endurance?	500g
How much hydrogen do you need at the whole event?	800g
maximum fuel pressure	350 bar

Table 2-0 - Fuel Specifications

### 3 Hydrogen tank

#### 3.1 Description and safety

Include a description of the hydrogen tank and the manufacturer.

Please add some pictures of the tank, so that officials can see that there are no visible defects.

#### 3.2 General informations

Complete the information in the table below.

Tank manufacturer	xxx
Model/name of the tank	xxx
Type of tank	I/II/III/IV
Maximum hydrogen pressure	$\geq 350$ bar
Tank capacity / H <sub>2</sub> capacity	1 kg
Certification according to	xxx
accredited by	xxx

Table 3-2 - Hydrogen Tank Specifications

#### 3.3 Hydrogen tank links

Please add the following links:

Datasheet of the hydrogen tank

Datasheet of the certification of the hydrogen tank

#### 3.4 Gripping devices for hydrogen tanks

Please show a picture of your gripping devices for your hydrogen tanks according to F3.1.9 of the Hydrogen Rules.

#### 3.5 Refueling hydrogen tank

Please explain working steps which are necessary to refuel your hydrogen tank.

## 4 On Tank Device (OTD)

### 4.1 General informations

Please explain in one paragraph up to one page how all the functions of the OTD are solved in your design. If several parts build together the OTD, please explain how they are mounted to each other.

Please add pictures of the whole assembly and how it is attached to the hydrogen tank.

Please show that you are fulfilling the rule F3.1.4 of the Hydrogen Rules.

Complete the information in the table below.

Model OTD	xxx
Manufacturer OTD	xxx
Model OTV	xxx
Manufacturer OTV	xxx
Model TPRD	xxx
Manufacturer TPRD	xxx

Table 4-1 - ON Tank Device Specifications

### 4.2 On Tank Valve (OTV)

Please show detailed pictures and a datasheet for the OTV. Please explain where the OTV is mentioned in the H2 tank certification since both should be certified together?

### 4.3 Thermal activated pressure relief device (TPRD)

Please show detailed pictures and a datasheet for the TPRD.

## 5 Pressure gauge and pressure regulator

### 5.1 General informations

Complete the information in the table below.

Model pressure gauge	xxx
Manufacturer pressure gauge	xxx
Model pressure regulator	xxx
Manufacturer pressure regulator	xxx
rated for max. high pressure	350 bar
used low pressure	10 bar

Table 5-1 - Pressure gauge and pressure regulator Specifications

### 5.2 Picture and Datasheet

Please show detailed pictures of the pressure gauge and pressure regulator.

### 5.3 Mounting of the pressure regulator

Please explain how to attach the pressure gauge and pressure regulator to the OTD and the quick connector.

## 6 Connectors, fittings and lines

### 6.1 Quick Connector

Please show detailed pictures and a datasheet for the connector which is prescribed in F3.1.4 and F3.1.5 of the Hydrogen Rules. Please explain which steps are necessary to remove the tank assembly from the car for refueling and to reassemble it. How long will it take?

### 6.2 Refueling connector

Please show that your tank valve H35 (normal flow or designed for maximum mass flows of 60g/s) is specified in accordance with ISO 17268 - gaseous hydrogen land vehicle refuelling connection devices. Please add pictures and a datasheet of the connector.

Please show that the tank valve is easily accessible with a fueling nozzle according to ISO 17268.

### 6.3 Vent tower connection

Please show detailed pictures and datasheet that you have a manual valve and a female Maximator 6M connection according to F.3.1.11 of the Hydrogen Rules to connect the hydrogen tank to the vent tower for bleeding the hydrogen tank.

Please explain how you are able to supply all non manual valves in the hydrogen tank system according to F.3.1.12 of the Hydrogen Rules.

### 6.4 Connectors and fittings

Please show detailed pictures and datasheets for all hydrogen containing parts. See F4.1.1 and F4.1.2 of the Hydrogen Rules. Please show with an invoice that you are only using hydrogen rated parts. Please let us know which connectors you have to open and close quite often.

### 6.5 Lines

Which kind of lines or tubings do you use? Please add datasheets. Please show with an invoice that you are only using hydrogen rated parts.

## 7 Structural

### 7.1 Attachment Hydrogen Tank to the Chassis

Insert a large image of the complete hydrogen tank assembly without cover and show the attachment points to the chassis.

Please show with pictures and calculations that your design fulfills F2.1.1 and F3.1.3 of Hydrogen Rules and can withstand all the forces of T3.3 of the FS Rules.

Please add a link to the Installation guidelines of the hydrogen tank. (Attachment)

### 7.2 Lowest Point of any Part of the Hydrogen System

Please show with a rendering or picture that your design is according to F2.1.8 of the Hydrogen Rules.

### 7.3 Shielding and Firewall of Hydrogen Tank

Prove that you have considered F2.1.4 and F2.1.7 of Hydrogen Rules when designing the housing and firewall.

### 7.4 Hydrogen Tank Surrounding Structure

Prove that the hydrogen tank is protected by an impact structure following T3.2 of the FS-Rules and that this impact structure follows F2.1.3 and F2.1.10 of Hydrogen Rules, if applicable.

This includes CAD screenshots of the structure/s and hydrogen tank and may include attachment calculations for the structural attachment between two chassis parts. Please remember that screw connections must be verified against axial pull-out and radial tear-out with 30 kN per connection point. That must be proven by physical tests.

### 7.5 H2CV only: Engine mounting

Insert a large image of the engine without cover and show the attachment points to the chassis.

Please show that you are using good engineering practices to fulfill F2.1.1 of Hydrogen Rules and can withstand all the forces of T3.3 of the FS Rules.

### 7.6 FCEV only: Fuel cell mounting

Insert a large image of the fuel cell without cover and show the attachment points to the Fuel Cell System Container (FCSC).

Please show with pictures and calculations that your design fulfills E11.1.1 and E.11.1.2 of Hydrogen Rules.



### 7.7 FCEV only: Fuel Cell System Container Attachments

Insert a large image of the FCSC and show the attachment points to the chassis.

Please show with pictures and calculations that your design fulfills E11.1.3 to E11.1.11 of Hydrogen Rules and can withstand all the forces of T3.3 of the FS Rules.

### 7.8 FCEV only: Positioning of Hydrogen System Parts

Please show that all parts of the Hydrogen System fulfil E3.1.1 of the Hydrogen Rules.

## 8 Firewall and heat management

### 8.1 Firewall specifications

Complete the information in the table below.

Aluminum layer thickness:	0.2mm
Insulating layer thickness:	2mm
Insulating Material Make / Model:	Conductive Co. FLDPRDCT
Insulating Material Datasheet:	<a href="#">Datasheet</a>
Insulating layer side:	Driver

Table 8-1 - Firewall Specifications

### 8.2 Firewall pictures

Provide CAD rendering(s) or photographs showing the firewall components. Mark the parts that the firewall is protecting from (hydrogen, oil, and cooling system components) in the pictures, if necessary. Show that you are according to F2.1.2, F2.1.4 and in case of FCEV E11.1.1 of the Hydrogen Rules.

### 8.3 Heat insulation

Explain how you do the heat insulation for your hydrogen tank according to F2.1.5 of the Hydrogen Rules. Please show renderings and datasheets of the used material/construction.

## 9 H2CV / H2HY only

### 9.1 General informations about engine

Complete the information in the table below.

	serial production spec	expected spec running H2
Mechanical layout	e.g. reciprocating piston	
Manufacturer		
Model designation		
Intended serial production use	e.g. Snowmobile	
Displacement [cc]	1600	800
Power output [kW]		
Fuel	RON98	H2
Number combustion chambers	4	2

Table 9-1 - Engine Specifications

### 9.2 General information about injection system

Complete the information in the table below.

Injection location(s)	e.g. intake runner
Number of injectors used	
Manufacturer(s)	
Model(s)	
Injector pressure [bar rel]	
Intended serial production use	
Norms and certifications	

Table 9-2 - Injection Specifications

### 9.3 Modification of the engine

Please explain which kind of modification you have done to make the engine running on hydrogen. Please add pictures of the modifications.

### 9.4 Parts of the injection system

Please explain all parts of the injection system and include all datasheets and standards supporting rule C1.1.5 of the Hydrogen Rules and a detailed system diagram.

If your injector(s) is/are not rated to one of the hydrogen norms, explain why they are a safe solution. Please add pictures of the injector.

### 9.4 Crankcase ventilation system

Show through text and images that you fulfill C1.1.6 of the Hydrogen Rules and details of your intended safe venting location.

### 9.5 Air intake system

Please make a short description of your air intake system and show how you attach it to the car. Show the officials that you are using good engineering practice. Please add some pictures.

### 9.6 Forced air induction system (if applicable)

Please provide a short description of your boosting system and show how you attach it to the car. Please add some pictures.

## 10 FCEV only

### 10.1 General requirements

Please explain how you want to fulfill the general requirements of the whole chapter E2 of the Hydrogen Rules. Show necessary datasheets and/or pictures.

### 10.2 Discharge Circuit

Explain how you design the discharge circuit(s) and how you fulfill the rules from the chapter E7 of the Hydrogen Rules. Please show circuit diagrams and datasheets of the used material/construction.

Please show a diagram or time chart showing the voltage is decreasing below 60V in less than 5 seconds.

Please add the datasheets of the stack protection diode and the discharge diode.

### 10.3 General informations about fuel cell

Complete the information in the table below.

Model of the fuel cell	xxx
Manufacturer of the fuel cell	xxx
Output Voltage	xxxV
Output Current	xxxA
Max. Power	20kW
Size	500x450x300mm
Weight	15kg
number of cells	xxx

Table 10-3 - Fuel Cell Specifications

### 10.4 Fuel cell links

Please add the following links:

Datasheet of the fuel cell

Installation guidelines of the fuel cell

Datasheet of the Dedicated fuel cell coolant

### 10.5 Fuel Cell System Container – Electrical Configuration

Please explain how you fulfill rule E9.1.2 of the Hydrogen Rules and show the necessary ventilation holes.

Please show that your electrical layout is according to the whole chapter E10 of the Hydrogen Rules. Add all necessary pictures, circuit diagrams or datasheets.

### 10.6 Power distribution

Please explain how you want to fulfill rule E5.1.4 to E5.1.7 of the Hydrogen Rules. Please add circuit diagrams and/or programming.

### 10.7 Fuel Cell Control Unit (FCCU)

Please explain how your FCCU is working. Please add circuit diagrams and/or programming.

Please explain how you want to fulfill rule E7.1.2 and the whole chapter E14 of the Hydrogen Rules.

## 11 Shutdown Circuit and other safety devices

### 11.1 Shutdown Circuit Schematic H2CV / H2HY

Insert a large (full page) schematic of the shutdown circuit. Check for working on this topic chapter S3 of the Hydrogen Rules.

Explain how you meet the following requirement: The hydrogen system may only be activated when the combustion engine is running or during engine start.

### 11.2 Shutdown Circuit Schematic FCEV

Insert a large (full page) schematic of the shutdown circuit. Check for working on this topic chapter S2 and S4 of the Hydrogen Rules.

Explain how you meet the following requirements:

- chapter E8 of the Hydrogen Rules
- The hydrogen system may only be activated when the fuel cell is running.

### 11.3 H2 Safety Measurement Device (H2SMD)

Show through text and images that you fulfill S10 of the Hydrogen Rules.

## 12 Important items that are not part of the car

### 12.1 Measuring tooling for hydrogen leak detection

Show through text and images that you fulfill S8.1.3 of the Hydrogen Rules. Please add the datasheet of your measuring tools.

### 12.2 Leak detection spray

Show through images that you have the right leak detection spray according to H3.1.1 of the Hydrogen Rules.

### 12.3 Signs

Show through images that you have the signs according to H3.1.1 of the Hydrogen Rules.

### 12.4 Hand cart

Show through text and images that you fulfill S9.1.5 and S9.1.6 of the Hydrogen Rules.